

General Notes:

- 1. MAPES ARCHITECTURAL CANOPIES REQUIRES
 ONE (1) SET OF "ORIGINAL/COPIES" TO REVISE
 DRAWINGS, OR AN APPROVED SET OF
 "ORIGINAL/COPIES" IN ORDER TO FABRICATE
 ORDER
- 2. ORDERS REQUIRING ENGINEERING WILL "ONLY"
 BE FABRICATED "AFTER" STAMPED DRAWINGS
 ARE APPROVED
- 3. VERIFY ALL CANOPY AND FIELD DIMENSIONS PRIOR TO RELEASING FOR FABRICATION
- 4. <u>ALL ORDERS NOT APPROVED FOR PRODUCTION</u>
 <u>WITHIN 90 DAYS OF PURCHASE ORDER ARE</u>
 <u>SUBJECT TO A REVIEW OF PRICING</u>
- 5. ALL FASTENER HOLES NOT OTHERWISE NOTED ARE TO BE FIELD DRILLED
- 6. ALL FASTENERS NOT OTHERWISE NOTED ARE CADMIUM PLATED FERROUS OR ALUMINUM
- 7. ADEQUACY OF WALL AND BUILDING STRUCTURE MUST BE CERTIFIED BY BUILDINGS ENGINEER OF RECORD
- 8. WALL SYSTEMS W/ EIFS OR BRICK VENEER
 EXTERIOR DESIGN TYPICALLY REQUIRE
 COMPRESSION SPACERS TO PREVENT CRUSHING,
 SUPPLIED BY MAPES
- 9. ADDITIONAL BLOCKING AND BRACING AT CANOPY CONNECTION POINTS TO ADEQUATELY HANDLE CANOPY LOADS TO BE SUPPLIED, FABRICATED & INSTALLED BY OTHERS
- 10. UNLESS OTHERWISE NOTED, ALL HANGER ROD ATTACHMENTS @ WALL ARE TO BE DESIGNED BY OTHERS
- 11. UNLESS OTHERWISE NOTED, ALL CANOPY
 ATTACHMENTS @ WALL ARE TO BE DESIGNED
 BY OTHERS
- 12. SOME FIELD MODIFICATION OF CANOPY
 MEMBERS MAY BE REQUIRED, DEPENDING ON
 EXISTING SITE CONDITION

Project Notes:

- 1. SUPER LUMIDECK CANOPY
- 2. 1" HANGER PIPE
- 3. 2 3/4" EXTRUDED DECKING (PERP)
- 4. 8" FASCIA
- 5. FASCIA DRAIN W/ SCUPPERS / REAR DRAINAGE W/ DOWNSPOUT

Drawing Schedule			
Page #	Description		
01	Cover		
02	General Information		
03	Canopy Plan		
04	Section AA		
05	Section BB		
06	Section CC		

Design Notes:

- 1. FINISH SHALL BE BRONZE BAKED ENAMEL, WHITE BAKED ENAMEL OR CLEAR ANODIZED
- 2. FINISH SHALL BE POWDER COAT
- 3. FINISH SHALL BE TWO COAT KYNAR
- 4. COLOR SHALL BE CHOSEN FROM MAPES STD SMOOTH COLOR CHART
- 5. COUNTER FLASHING AND SEALANT, BY CANOPY INSTALLER
- 6. SURROUND WALL ANCHORS WITH WATER TIGHT SEALANT
- 7. EMBED ALL WALL ANCHOR WASHERS IN SEALANT TO PROVIDE WATERTIGHT SEAL AT WALL
- 8. TO ENSURE PROPER DRAINAGE, INSTALL CANOPY WITH POSITIVE CAMBER
- 9. FASCIA DRAIN W/ SCUPPERS / REAR DRAINAGE W/ DOWNSPOUT

Canopy Type:				
Architect:				
-				
-				
Drawn:				

Mapes Architectural Canopies

7748 N. 56th St. Lincoln, NE. 68514-9724 Ph: (888) 273-1132 Fx: (877) 455-6572 email: cad@mapes.com

Proposed for: 2 3/4" DECKING ((PERP) ()
Job Name: SUPER LUMIDECK ROD CANOPY /	HANGER
PO # dtd MQ # Rep:	
	sheet:
Jun. 16, 15	しる







